Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Previously Presented) A debugger for debugging any of a plurality of

debuggees, each debuggee having a debugging type attribute selected from a plurality of

debugging type attributes and representative of a type of debugging to be performed with

respect to the debuggee, each debuggee also having a processor attribute selected from a

plurality of processor attributes and representative of a type of processor associated with the

debuggee, the debugger being instantiated on a computer and comprising:

a single debugger engine for performing debugging functions with respect to

any of the plurality of debuggees, the engine including:

a plurality of debugging type blocks, each debugging type block for

supporting at least one of the plurality of debugging type attributes; and

a plurality of processor blocks, each processor block for supporting at least

one of the plurality of processor attributes,

wherein a particular debugging type block and a particular processor block are

selected for debugging a particular debuggee based on the debugging type attribute and

processor attribute of the particular debuggee,

wherein the plurality of debugging type blocks are organized into a debugging

type abstraction available to provide debugging type services that vary in implementation for

each debugging type,

wherein the debugging type abstraction comprises programming code, and

wherein at least a portion of the programming code for the debugging type abstraction is

Page 3 of 17

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

common as between at least some debugging type blocks and is shared by such debugging type blocks,

wherein the programming code for the debugging type abstraction is organized into a tree form with generic code at a base node and more specific levels of code branching out at nodes therefrom, the debugging type abstraction nodes including leaf nodes from which no other nodes branch out, each debugging type block being defined to include a plurality of nodes extending from the base node to a particular leaf node,

wherein the plurality of processor blocks are organized into a processor abstraction available to provide processor services that vary in implementation for each processor,

wherein the processor abstraction comprises programming code, and wherein at least a portion of the programming code for the processor abstraction is common as between at least some processor blocks and is shared by such processor blocks, and

wherein the programming code for the processor abstraction is organized into a tree form with generic code at a base node and more specific levels of code branching out at nodes therefrom, the processor abstraction nodes including leaf nodes from which no other nodes branch out, each processor block being defined to include a plurality of nodes extending from the base node to a particular leaf node.

2. (Canceled)

3. (Currently Amended) The debugger of claim 1 wherein the debugging services include services selected from a group <u>comprising</u> consisting of accessing memory,

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

accessing context, accessing system information, inserting a breakpoint, removing a

breakpoint, controlling execution, and combinations thereof.

4.-6. (Canceled)

7. (Currently Amended) The debugger of claim 1 wherein the processor

services include services selected from a group comprising consisting of recognizing

particular processor instructions, recognizing processor states, maintaining hardware

breakpoints, assembling code for the processor, disassembling code from the processor,

disassembling code from a dump file produced by the processor, and combinations thereof.

8.-9. (Canceled)

10. (Original) The debugger of claim 1 wherein the engine further includes a

high level portion for issuing generic requests to the selected debugging type block and to the

selected processor block to accomplish debugging actions.

11. (Original) The debugger of claim 10 wherein the plurality of debugging

type blocks are organized into a debugging type abstraction available to provide debugging

type services that vary in implementation for each debugging type, wherein the plurality of

processor blocks are organized into a processor abstraction available to provide processor

services that vary in implementation for each processor, and wherein the high level portion

Page 5 of 17

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

issues generic requests to the debugging type abstraction and to the processor abstraction to

accomplish debugging actions.

12.-13. (Canceled)

14. (Original) The debugger of claim 1 wherein the plurality of processor

attributes supported by the processor blocks include processor attributes representative of

members selected from a group consisting of an X86 processor family, an ALPHA processor

family, an IA64 processor family, and combinations thereof.

15. (Original) The debugger of claim 1 wherein the debugger further has an

executable for being executed by a user, for calling the engine, and for providing an interface

between the user and the engine.

16. (Original) The debugger of claim 15 wherein the executable includes an

attribute that results in the selection of a particular debugging type block in the engine.

17. (Original) The debugger of claim 15 wherein the executable includes an

attribute that results in the selection of a particular processor block in the engine.

18. (Original) The debugger of claim 1 wherein the particular debuggee is a

dump file produced by a processor operating a particular mode, wherein the debugging type

attribute of the dump file corresponds to the particular mode, and wherein the particular

Page 6 of 17

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

debugging type block of the engine selected for debugging the dump file supports the

debugging type attribute of the dump file.

19. (Original) The debugger of claim 1 wherein the particular debuggee is a

dump file produced by a type of processor, wherein the processor attribute of the dump file

corresponds to the type of processor, and wherein the particular processor block of the engine

selected for debugging the dump file supports the processor attribute of the dump file.

20. (Previously Presented) A computer having a debugger instantiated

thereon for debugging any of a plurality of debuggees, each debuggee having a debugging

type attribute selected from a plurality of debugging type attributes and representative of a

type of debugging to be performed with respect to the debuggee, each debuggee also having a

processor attribute selected from a plurality of processor attributes and representative of a

type of processor associated with the debuggee, the debugger comprising:

a single debugger engine for performing debugging functions with respect to

any of the plurality of debuggees, the engine including:

a plurality of debugging type blocks, each debugging type block for

supporting at least one of the plurality of debugging type attributes; and

a plurality of processor blocks, each processor block for supporting at least

one of the plurality of processor attributes,

wherein a particular debugging type block and a particular processor block are

selected for debugging a particular debuggee based on the debugging type attribute and

processor attribute of the particular debuggee,

Page 7 of 17

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

wherein the plurality of debugging type blocks are organized into a debugging type abstraction available to provide debugging type services that vary in implementation for each debugging type,

wherein the debugging type abstraction comprises programming code, and wherein at least a portion of the programming code for the debugging type abstraction is common as between at least some debugging type blocks and is shared by such debugging type blocks,

wherein the programming code for the debugging type abstraction is organized into a tree form with generic code at a base node and more specific levels of code branching out at nodes therefrom, the debugging type abstraction nodes including leaf nodes from which no other nodes branch out, each debugging type block being defined to include a plurality of nodes extending from the base node to a particular leaf node,

wherein the plurality of processor blocks are organized into a processor abstraction available to provide processor services that vary in implementation for each processor,

wherein the processor abstraction comprises programming code, and wherein at least a portion of the programming code for the processor abstraction is common as between at least some processor blocks and is shared by such processor blocks, and

wherein the programming code for the processor abstraction is organized into a tree form with generic code at a base node and more specific levels of code branching out at nodes therefrom, the processor abstraction nodes including leaf nodes from which no other nodes branch out, each processor block being defined to include a plurality of nodes extending from the base node to a particular leaf node.

Application No.: 09/681,064

Office Action Dated: July 26, 2006

21.-26. (Canceled)

27. (Original) The computer of claim 20 wherein the engine further includes a

high level portion for issuing generic requests to the selected debugging type block and to the

selected processor block to accomplish debugging actions.

28. (Original) The computer of claim 27 wherein the plurality of debugging

type blocks are organized into a debugging type abstraction available to provide debugging

type services that vary in implementation for each debugging type, wherein the plurality of

processor blocks are organized into a processor abstraction available to provide processor

services that vary in implementation for each processor, and wherein the high level portion

issues generic requests to the debugging type abstraction and to the processor abstraction to

accomplish debugging actions.

29. (Original) The computer of claim 20 wherein the debugger further has an

executable for being executed by a user, for calling the engine, and for providing an interface

between the user and the engine.

30. (Original) The computer of claim 29 wherein the executable includes an

attribute that results in the selection of a particular debugging type block in the engine.

Page 9 of 17

Application No.: 09/681,064 **Office Action Dated:** July 26, 2006

31. (Original) The computer of claim 29 wherein the executable includes an attribute that results in the selection of a particular processor block in the engine.

32.-50. (Canceled)